



2017 WHEEL COLLECTION

SENDELWHEEL.COM | FORTEWHEEL.COM

2017 WHEEL COLLECTION

3

4

5

6 7 8

9

1

2

DIRECTORY

SENDEL OFF-ROAL

S38 L	OCKER
S37 S	TEALTH / TANGO
S36 N	NIGHT HAWK
S35 R	ECON / RECON-8
S34 S	NIPER
S32 S	POTTER
010	

FORTE CARS, CUV'S, SUV'S

F77 BOARDWALK	1
F76 JESSE-ONE	1
F75 IDOL / EURO	1
F74 TETON	1
F73 GTV	1
F72 BLACK-OUT	1
F71 MISTRESS	
F70 JEKYLL / HYDE	1
F50 STRESS / TWISTED	2
SUBJECT TO AVAILABILITY	2
WARRANTY	-

DESIGNING WITH PASSION

Manufacturing with precision and Designing with Passion is what you'll find from our brands. Wheels that have been artistically created to enhance the most current vehicle fashion. Which give tasteful and timeless accents to improve the looks of your vehicle. Each design is well thought out to be elegantly powerful and to add meaningful design which enhances a vehicle's image without overpowering it.

QUALITY AND TESTING

Our brands share high level manufacturing technology and quality principles. As a private label manufacture that has supplied many Original Equipment vehicle and trailer manufactures our items exceed the stringent demands of testing. All of our wheels have been tested to exceed the requirements of global quality and performance standards. SAE- J2530, SAE- J1204 and JWL are some of the more recognizable standards that we have surpassed. Some of our most recent trailer models were specially designed to pass both SAE-J2530 and J1204 on the same wheel. To our knowledge ours are the only trailer wheels that offer this level of certifications.

SELECT YOUR FAVORITE AND ENJOY

On the following pages you'll find our wheels separated into a few quick view categories. You'll be able to easily see many great choices that will enhance your vehicle, give great performance and long service. Once you've decided on the right look for you please send us and e-mail and we'll direct you to the closest direct dealer. After that, its miles and miles of pleasurable driving while looking great at each stop.

CUSTOMER SERVICE 866.320.6891





S38 LOCKER MATTE BLACK MACHINED | MATTE GRAPHITE 20X9 18X9 17X9 16X8



S37 STEALTH / TANGO MATTE BLACK W/ MILL SPOTS | POLISHED W/ CLEAR COAT 20X9 18X9 17X9



S36 NIGHT HAWK MATTE BLACK MILLED 20X9 18X9 17X9



S35 RECON / RECON-8 MATTE BLACK RECON 20X9 18X9 17X9 RECON-8 20X9 18X9



S34 SNIPER GLOSS BLACK MILLED 20X9 18X9 17X9



S32 SPOTTER GLOSS BLACK MILLED 17X8 16X8 15X8



S13 GLOSS BACK MACHINED | MATTE BLACK 17X8 16X8 15X8 15X7



S38 LOCKER



MATTE BLACK MACHINED

MATTE GRAPHITE W/ BLACK OUTER FLANGE

		LIF	P SIZE	17" 2.2	50"
				FITMEN	тѕ
				SIZE	
				20x9.0	
		1011		20x9.0	
				20x9.0	
	200			20x9.0	
OFFSET	SIZE	BOLT PATTERNS	OFFSET	SIZE	
-12	17x9.0	5x114.3 / 5x127.0	-12	16x8.0	
				10 0 0	

16"	2.25"	

& SIZE INFO

SIZE	BOLT PATTERNS	OFFSET
20x9.0	5x114.3 / 5x127.0	+10
20x9.0	5x127.0 / 5x139.7	-12
20x9.0	5x127.0 / 5x139.7	+10
20x9.0	6x120.0 / 6x139.7	+20
20x9.0	6x135.0 / 6x139.7	-12
20x9.0	6x135.0 / 6x139.7	+10
20x9.0	6x135.0 / 6x139.7	+25
0175	BOLT PATTERNS	OFFOFT
SIZE	BULI PATTERNS	OFFSET
16x8.0	5x114.3 / 5x127.0	+10
16x8.0	5x135.0 / 5x139.7	+10
16x8.0	6x139.7	+10
16x8.0	6x139.7	+20

SIZE	BOLT PATTERNS	OFFSET		SIZE	BOLT PATTERNS	OFFSET
18x9.0	5x114.3 / 5x127.0	-12		17x9.0	5x114.3 / 5x127.0	-12
18x9.0	5x114.3 / 5x127.0	+10	-	17x9.0	5x114.3 / 5x127.0	+10
18x9.0	5x127.0 / 5x139.7	+10		17x9.0	5x135.0 / 5x139.7	+10
18x9.0	6x120.0 / 6x139.7	+20		17x9.0	6x120.0 / 6x139.7	+20
18x9.0	6x135.0 / 6x139.7	-12		17x9.0	6x135.0 / 6x139.7	-12
18x9.0	6x135.0 / 6x139.7	+10		17x9.0	6x135.0 / 6x139.7	+10
18x9.0	6x135.0 / 6x139.7	+25		17x9.0	6x135.0 / 6x139.7	+25

S37 TANGO / STEALTH

MATTE BLACK W/ MILL SPOKES



POLISHED W/ CLEAR COAT



SIZE	BOLT PATTERNS	OFFSET	SIZE	BOLT PATTERNS	OFFSET	SIZE	BOLT PATTERNS	OFFSET
17x9.0	5x114.3 / 5x127.0	+10	18x9.0	5x114.3 / 5x127.0	+10	20x9.0	5x127.0 / 5x139.7	-12
17x9.0	5x127.0 / 5x139.7	+10	18x9.0	5x127.0 / 5x139.7	+10	20x9.0	5x127.0 / 5x139.7	+10
17x9.0	6x120.0 / 6x139.7	+20	18x9.0	6x120.0 / 6x139.7	+20	20x9.0	6x120.0 / 6x139.7	+20
17x9.0	6x135.0 / 6x139.7	+25	18x9.0	6x135.0 / 6x139.7	+10	20x9.0	6x135.0 / 6x139.7	-12
17x9.0	6x139.7	+10	18x9.0	6x135.0 / 6x139.7	+25	20x9.0	6x135.0 / 6x139.7	+10
			18x9 0	6x139 7	+10	20x9 0	6x135 0 / 6x139 7	+25



MATTE BLACK MILLED





SIZE	BOLT PATTERNS	OFFSET	SIZE	BOLT PATTERNS	OFFSET	SIZE	BOLT PATTERNS	OFFSET
20x9.0	5x127.0 / 5x139.7	-12	18x9.0	5x114.3 / 5x127.0	+10	17x9.0	5x114.3 / 5x127.0	+10
20x9.0	5x127.0 / 5x139.7	+10	18x9.0	5x127.0 / 5x139.7	+10	17x9.0	5x127.0 / 5x139.7	+10
20x9.0	6x120.0 / 6x139.7	+20	18x9.0	6x120.0 / 6x139.7	+20	17x9.0	6x120.0 / 6x139.7	+20
20x9.0	6x135.0 / 6x139.7	-12	18x9.0	6x135.0 / 6x139.7	+10	17x9.0	6x135.0 / 6x139.7	+25
20x9.0	6x135.0 / 6x139.7	+10	18x9.0	6x135.0 / 6x139.7	+25	17x9.0	6x139.7	+10
20x9.0	6x135.0 / 6x139.7	+25	18x9.0	6x139.7	+10			
20x9.0	6x139.7	+10						

TRUCK & OFF-ROAD

WWW.SENDELWHEEL.COM

18x9.0

S35 RECON-8 / RECON

8-LUG OPEN LUG CAP

- MATTE BLACK
- 5 & 6 LUG COVERED LUG CAP



FITMENTS & SIZE INFO

SIZE	BOLT PATTERNS	OFFSET	SIZE	BOLT PATTERNS	OFFSET	SIZE	BOLT PATTERNS	OFFSET
17x9.0	5x114.3 / 5x127.0	+10	18x9.0	5x114.3 / 5x127.0	+10	20x9.0	5x127.0 / 5x139.7	-12
17x9.0	5x127.0 / 5x139.7	+10	18x9.0	5x127.0 / 5x139.7	+10	20x9.0	5x127.0 / 5x139.7	+10
17x9.0	6x114.3 / 6x139.7	+20	18x9.0	6x114.3 / 6x139.7	+20	20x9.0	6x135.0 / 6x139.7	-12
17x9.0	6x120.0 / 6x139.7	+20	18x9.0	6x120.0 / 6x139.7	+20	20x9.0	6x135.0 / 6x139.7	+10
17x9.0	6x135.0 / 6x139.7	+10	18x9.0	6x135.0 / 6x139.7	+10	20x9.0	6x135.0 / 6x139.7	+25
17x9.0	6x135.0 / 6x139.7	+25	18x9.0	6x135.0 / 6x139.7	+25			
			SIZE	BOLT PATTERNS	OFFSET	SIZE	BOLT PATTERNS	OFFSET
			18x9.0	5x150.0	+25	20x9.0	5x150.0	+25
			18x9.0	8x165.1	+10	20x9.0	8x165.1	+10

8x170.0

+20

20x9.0

20x9.0

8x170.0

8x180.0

+20

+20



SIZE	BOLT PATTERNS	OFFSET	SIZE	BOLT PATTERNS	OFFSET	SIZE	BOLT PATTERNS	OFFSET
20x9.0	5x127.0 / 5x139.7	-12	18x9.0	5x114.3 / 5x127.0	+10	17x9.0	5x114.3 / 5x127.0	+10
20x9.0	5x127.0 / 5x139.7	+10	18x9.0	5x127.0 / 5x139.7	+10	17x9.0	5x127.0 / 5x139.7	+10
20x9.0	6x135.0 / 6x139.7	-12	18x9.0	6x114.3 / 6x139.7	+20	17x9.0	6x114.3 / 6x139.7	+20
20x9.0	6x135.0 / 6x139.7	+10	18x9.0	6x120.0 / 6x139.7	+20	17x9.0	6x120.0 / 6x139.7	+20
20x9.0	6x135.0 / 6x139.7	+25	18x9.0	6x135.0 / 6x139.7	+10	17x9.0	6x135.0 / 6x139.7	+10
			18x9.0	6x135.0 / 6x139.7	+25	17x9.0	6x135.0 / 6x139.7	+25



GLOSS BLACK MILLED



FITMENTS & SIZE INFO

SIZE	BOLT PATTERNS	OFFSET	SIZE	BOLT PATTERNS	OFFSET	SIZE	BOLT PATTERNS	OFFSET
15x8.0	5x114.3 / 5x120.65	-20	16x8.0	5x114.3 / 5x127.0	+25	17x8.0	5x114.3 / 5x127.0	+25
15x8.0	5x114.3 / 5x127.0	-20	16x8.0	6x114.3 / 6x139.7	+20	17x8.0	5x127.0 / 5x139.7	+10
15x8.0	6x139.7	-20	16x8.0	6x127.0 / 6x139.7	+20	17x8.0	6x114.3 / 6x139.7	+20
			16x8.0	6x139.7	+10	17x8.0	6x127.0 / 6x139.7	+20
						17x8.0	6x120.0 / 6x139.7	+20

+25

6x139.7 +10

17x8.0 6x135.0 / 6x139.7 +25

5x110.0 / 5x114.3

17x8.0

17x8.0







BLACK & MACHINED

16x8.0

16x8.0

16x8.0

16x8.0

MATTE BLACK



SIZE	BOLT PATTERNS	OFFSET
17x8.0	5x114.3	+10
17x8.0	5x135.0	+10
17x8.0	6x135.0	+25
17x8.0	6x139.7	+10
17x8.0	6x139.7	+25
17x8.0	5x139.7	+10
17x8.0	5x127.0	+10

BOLT PATTERNS	OFFSET
5x135.0	+10
6x139.7	+10
5x139.7	+10
5x127.0	+10

FSET	SIZE	BOLT PATTERNS	OFFSET
10	15x8.0	6x139.7	-20
10	15x8.0	5x139.7	-20
10	15x8.0	5x114.3	-20
10	15x8.0	5x120.65	-20
	15x8.0	5x127.0	-20
	SIZE	BOLT PATTERNS	OFFSET
	SIZE 15x7.0	BOLT PATTERNS 6x139.7	OFFSET -7
	15x7.0	6x139.7	-7
	15x7.0 15x7.0	6x139.7 5x139.7	-7 -7
	15x7.0 15x7.0 15x7.0	6x139.7 5x139.7 5x114.3	-7 -7 -7











F77 BOARDWALK CHROME | SILVER MACHINED 19X8 18X8 17X7.5 16X7.5



F76 JESSE-ONE MATTE BLACK MILLED | CHROME 19X8 18X8 17X7.5 16X7.5



F75 EURO / IDOL BLACK W/ MILLING | BRIGHT PVD 22X9 20X8.5 18X8



F74 TETON SILVER 18X8 17X7 16X7



F73 GT-V CHARCOAL MACHINED 18X8 17X7.5 16X7.5



F72 BLACKOUT BLACK MACHINED | GLOSS BLACK 18X8 17X7.5 16X7.5



F71 MISTRESS SILVER MACHINED | GLOSS BLACK 22X9 20X8.5 18X8



F70 JEKYLLL / HYDE DARK PVD | BLACK MIRROR 22X9 20X8.5 18X8



F50 *STRESS / TWISTED CHROME | BLACK MIRROR *22X9.5 *20X8.5 18X8

F77 BOARDWALK



CHROME

16x7.5

16x7.5 16x7.5

16x7.5

5x107.95 / 5x114.3

5x114.3 / 5x120.0

5x105.0 / 5x114.3

5x100.0 / 5x114.3

+38

+20

+38

+38

SILVER MACHINED

ENGRAVED DETAILED LOGO

EXTRA LONG SPOKES Gives a larger wheel look

DETATCHED DROP CENTER RIDGE Harder to produce Creates a deeper dish visual

SIZE	BOLT PATTERNS	OFFSET
19x8.0	5x107.95 / 5x114.3	+38
19x8.0	5x110.0 / 5x115.0	+38
19x8.0	5x115.0 / 5x120.0	+20
19x8.0	5x100.0 / 5x114.3	+38
19x8.0	5x114.3 / 5x120.0	+38
19x8.0	5x112.0 / 5x114.3	+38

SIZE	BOLT PATTERNS	OFFSET	SIZE	BOLT PATTERNS	OFFSET
17x7.5	5x107.95 / 5x114.3	+38	18x8.0	5x107.95 / 5x114.3	+38
17x7.5	5x110.0 / 5x115.0	+38	18x8.0	5x110.0 / 5x115.0	+38
17x7.5	5x115.0 / 5x120.0	+20	18x8.0	5x115.0 / 5x120.0	+20
17x7.5	5x105.0 / 5x114.3	+38	18x8.0	5x105.0 / 5x114.3	+38
17x7.5	5x100.0 / 5x114.3	+38	18x8.0	5x100.0 / 5x114.3	+38
17x7.5	5x114.3 / 5x120.0	+38	18x8.0	5x114.3 / 5x120.0	+38
17x7.5	5x112.0 / 5x114.3	+38	18x8.0	5x112.0 / 5x114.3	+38

	o a oile into	~			
SIZE	BOLT PATTERNS	OFFSET	SIZE	BOLT PATTERNS	OFFSET
22x9.0	5x115.0	+18	20x9.0	5x115.0	+18
22x9.0	5x120.0	+25	20x9.0	5x120.0	+25
22x9.0	6x135.0	+30	20x9.0	6x135.0	+30
22x9.0	6x139.7	+20	20x9.0	6x139.7	+20
22x9.0	6x139.7	+30	20x9.0	6x139.7	+30
22x9.0	5x139.7	+20	20x9.0	5x139.7	+20

13

FITMENTS & SIZE INFO
FITMENTS & SIZE INFO



MATTE BLACK MILLED

CHROME

22" 5.50"

20" 5.00"

LIP SIZE



22" 2.50"

20" 2.00"

18" 2.00"

F75 EURO / IDOL



GLOSS BLACK MILLED | EURO

BRIGHT PVD | IDOL

LIP SIZE



SPOKE MILLING DETAIL

SIZE	BOLT PATTERNS	OFFSET	SIZE	BOLT PATTERNS	OFFSET	SIZE	BOLT PATTERNS	OFFSET
18x8.0	5x107.95 / 5x114.3	+40	20x8.5	5x107.95 / 5x114.3	+38	22x9.0	5x107.95 / 5x114.3	+35
18x8.0	5x110.0 / 5x115.0	+40	20x8.5	5x110.0 / 5x115.0	+38	22x9.0	5x110.0 / 5x115.0	+35
18x8.0	5x115.0 / 5x120.0	+15	20x8.5	5x115.0 / 5x120.0	+15	22x9.0	5x115.0 / 5x120.0	+15
18x8.0	5x114.3 / 5x120.0	+40	20x8.5	5x114.3 / 5x120.0	+38	22x9.0	5x114.3 / 5x120.0	+35
18x8.0	5x112.0 / 5x114.3	+40	20x8.5	5x112.0 / 5x114.3	+38	22x9.0	5x112.0 / 5x114.3	+35



SILVER

ALL SILVER PAINT

Great looks & easier maintanence Geat for winter applications

QUICK INFO:

HEAVY DUTY LOAD CAPACITY

Allows for heavier loads for mini-vans & CUV's

OEM BALANCING WEIGHT RIDGE FRONT & REAR Allows for best balancing & helping improve ride quality

SIZE	BOLT PATTERNS	OFFSET	SIZE	BOLT PATTERNS	OFFSET	SIZE	BOLT PATTERNS	OFFSET
16x7.0	5x107.95 / 5x114.3	+35	17x7.0	5x107.95 / 5x114.3	+35	18x8.0	5x107.95 / 5x114.3	+40
16x7.0	5x110.0 / 5x115.0	+35	17x7.0	5x110.0 / 5x115.0	+35	18x8.0	5x110.0 / 5x115.0	+40
16x7.0	5x114.3 / 5x127.0	+35	17x7.0	5x114.3 / 5x127.0	+35	18x8.0	5x114.3 / 5x127.0	+40
16x7.0	5x105.0 / 5x114.3	+35	17x7.0	5x115.0 / 5x120.0	+20	18x8.0	5x115.0 / 5x120.0	+20
16x7.0	5x100.0 / 5x114.3	+35	17x7.0	5x105.0 / 5x114.3	+35	18x8.0	5x114.3 / 5x120.0	+40
16x7.0	5x114.3 / 5x120.0	+20	17x7.0	5x100.0 / 5x114.3	+35	18x8.0	5x112.0 / 5x114.3	+40
			17x7.0	5x114.3 / 5x120.0	+35	18x8.0	5x130.0	+40
			17x7.0	5x112.0 / 5x114.3	+35			

F73 GT-V



CHARCOAL MACHINED



SIZE	BOLT PATTERNS	OFFSET	SIZE	BOLT PATTERNS	OFFSET	SIZE	BOLT PATTERNS	OFFSET
16x7.5	5x114.3	+35	17x7.5	5x112.0	+35	18x8.0	5x112.0	+40
16x7.5	5x100.0	+35	17x7.5	5x114.3	+35	18x8.0	5x114.3	+40
			17x7.5	5x100.0	+35	18x8.0	5x100.0	+40
			17x7.5	5x105.0	+35	18x8.0	5x110.0	+40
						18x8.0	5x105.0	+40



F71 MISTRESS



SILVER MACHINED

GLOSS BLACK



SIZE	BOLT PATTERNS	OFFSET	SIZE	BOLT PATTERNS	OFFSET	SIZE	BOLT PATTERNS	OFFSET
18x8.0	5x107.95 / 5x114.3	+35	20x8.5	5x107.95 / 5x114.3	+35	22x9.0	5x107.95 / 5x114.3	+35
18x8.0	5x110.0 / 5x115.0	+35	20x8.5	5x110.0 / 5x115.0	+35	22x9.0	5x110.0 / 5x115.0	+35
18x8.0	5x115.0 / 5x120.0	+15	20x8.5	5x115.0 / 5x120.0	+15	22x9.0	5x115.0 / 5x120.0	+15
18x8.0	5x114.3 / 5x120.0	+35	20x8.5	5x114.3 / 5x120.0	+35	22x9.0	5x114.3 / 5x120.0	+35



GLOSS BLACK MACHINED | JEKYLL

PVDD | HYDE

SIZE	BOLT PATTERNS	OFFSET
22x8.5	5x120.0	+35
22x8.5	5x112.0	+35
22x8.5	5x120.0	+20
22x8.5	5x114.3	+35
22x8.5	5x110.0	+35
22x8.5	5x115.0	+35
22x8.5	5x115.0	+20

SIZE	BOLT PATTERNS	OFFSET
20x8.5	5x120.0	+35
20x8.5	5x112.0	+35
20x8.5	5x120.0	+20
20x8.5	5x114.3	+35
20x8.5	5x110.0	+35
20x8.5	5x115.0	+35
20x8.5	5x115.0	+20

SIZE	BOLT PATTERNS	OFFSET
18x8.0	5x120.0	+38
18x8.0	5x107.95	+38
18x8.0	5x120.0	+15
18x8.0	5x114.3	+38
18x8.0	5x127.0	+38
18x8.0	5x100.0	+38
18x8.0	5x110.0	+38
18x8.0	5x105.0	+38
18x8.0	5x115.0	+38
18x8.0	5x115.0	+15



SIZE	BOLT PATTERNS	OFFSET	SIZE	BOLT PATTERNS	OFFSET
17x7.5	5x107.95	+42	16x7.0	5x107.95	+42
17x7.5	5x114.3	+42	16x7.0	5x114.3	+42
17x7.5	5x100.0	+42	16x7.0	5x100.0	+42
17x7.5	5x110.0	+42	16x7.0	5x110.0	+42
17x7.5	5x105.0	+42	16x7.0	5x105.0	+42
17x7.5	5x115.0	+42	16x7.0	5x115.0	+42

F50 STRESS / TWISTED



CHROME | STRESS

GLOSS BLACK MACHINED | TWISTED



SIZE	BOLT PATTERNS	OFFSE
18x8.0	5x107.95 / 5x115.0	+40
18x8.0	5x114.3 / 5x110.0	+40
18x8.0	5x120.0 / 5x112.0	+35
18x8.0	5x114.3 / 5x127.0	+35
18x8.0	5x115.0 / 5x120.0	+15
18x8.0	5x105.0 / 5x115.0	+35
18x8.0	6x139.7	+20
18x8.0	5x139.7 / 5x127.0	+15
18x8.0	5x135.0 / 5x127.0	+15
18x8.0	6x135.0 / 6x139.7	+31

SIZE	BOLT PATTERNS	OFFSET
20x8.5	5x114.3 / 5x112.0	+35
20x8.5	5x110.0 / 5x115.0	+35
20x8.5	5x114.3 / 5x127.0	+35
20x8.5	5x107.95 / 5x120.0	+35
20x8.5	5x115.0 / 5x120.0	+15
20x8.5	5x105.0 / 5x115.0	+35
20x8.5	6x132.0 / 6x127.0	+35
20x8.5	6x139.7	+20
20x8.5	5x139.7 / 5x127.0	+15
20x8.5	5x135.0 / 5x127.0	+15
20x8.5	6x135.0 / 6x139.7	+31

SIZE	BOLT PATTERNS	OFFSET
24x9.5	5x115.0 / 5x120.0	+15
24x9.5	6x139.7	+20
24x9.5	5x139.7 / 5x127.0	+15
24x9.5	6x135.0 / 6x139.7	+31

SIZE	BOLT PATTERNS	OFFSET
22x9.5	5x114.3 / 5x127.0	+35
22x9.5	5x115.0 / 5x120.0	+15
22x9.5	6x139.7	+20
22x9.5	5x139.7 / 5x127.0	+15
22x9.5	6x135.0 / 6x139.7	+31

SUBJECT TO AVAILABLITY







F67 NIGHT MOVES BLACK MIRROR 22X10 22X8.5 20X8.5 18X8 17X7.5



F64 CAHOOTS BLACK MIRROR 22X9.5 20X8.5



F63 JONES SIX BLACK MIRROR 22X10 22X9



F62 JONES FIVE BLACK MIRROR 22X10 22X8.5 20X8.5



F45 REDRUM BLACK RED STRIPE 20X8.5 18X8 17X7.5



S31 MIA GLOSS BLACK MILLED 22X9.5 20X9 18X9 17X9



S30 SILVER 17X7 16X7



S07 CHARCOAL MACHINED 17X7.5 16X7 15X7



S06 SILVER 18X7.5 17X7 16X7 15X7

STANDARD LIMITED WARRANTY

Every tire, tube and wheel supplied by TIRECO is warranted to be free from defects in materials and workmanship subject to terms, conditions and limitations as stated below. If our examination of a warrantable product determines that the product has failed due to a defect in materials or workmanship, we will make a reasonable allowance toward the purchase of a new product at current prices or other adjustment within our discretion. Adjustments will be made on a pro-rata basis determined by the amount of usage or service received by the product and will be based on the most recent purchase price (proof of purchase is required).

Terms, Conditions and Limitations

Any product, no matter how well constructed may fail in service or become unserviceable due to conditions beyond the control of the manufacturer. Under no circumstance is this limited warranty a representation that a tire, tube or wheel failure cannot occur.

This warranty is only applicable to products sold in and used on vehicles registered & operated in the United States, U.S. Territories, Canada and Mexico. In addition, this warranty is applicable to the original purchaser of the product and this warranty is not transferable. The costs of mounting, balancing and other associated services as well as any applicable Federal, State or Local taxes are not covered by this warranty.

This limited warranty does not cover and TIRECO will not adjust any of our products against road hazards such as but not limited to cuts, punctures (whether repairable or not), snags, bruises, tears, impact breaks, etc. Products are also not warranted if damaged due to misuse such as but not limited to improper installation or mounting, misapplication, repair, overloading, improper inflation, excessive speed, racing, spinning, drifting, unintended off-road use, stone drilling, improper use of chains, use of non-approved or non-standard rims (as determined by the Tire and Rim Association), continued of whele severely under-inflated, misalignment or imbalance of wheels/rims, defective brakes or shock absorbers, abuse, accident or collision, willful damage, oil or chemical action, improper storage, fire or other excessive heat, vandalism, and water or other material entrapped inside the product.

Specific Tire, Wheel and Tube Limitations & Exclusions:

- Tire adjustments will be based on the remaining tread depth. Tires worn to 2/32" tread depth or to the tread wear indicator bars are
 deemed to have served their full useful tread life and are not adjustable for any reason.
- Tires returned for out-of-round or ride disturbance conditions within the first 2/32 of tread wear will be credited for 100% of their value based on the average purchase price for the last six months. Tires returned for out of round beyond the first 2/32 of wear will not be considered for adjustment. Off Road, Agriculture, Specialty and Trailer tires are not eligible for out-of-round or ride disturbance consideration.
- Tires that have been branded to note special classifications such as "B" (blemished) may not be considered for adjustment at TIRECO's sole discretion. Tires marked with an "NA" (non-adjustable) are specifically excluded from this limited warranty.
- For tires and wheels designed for and used on all classes of recreational vehicles, equipment trailers, horse trailers, cargo trailers and all other trailers, TIRECO may require a certified weight ticket for any warranty consideration. Specialty Trailer tires sold to Original Equipment manufacturers are specifically limited to a warranty of four (4) years from date of manufacture and any allowance made will be based on our Manufacturer's Suggested Retail Price (MSRP). Specialty Trailer wheels are limited to a warranty of two (2) years from the date of manufacture.
- · Loss of time, or use, inconvenience, or any incidental or consequential damage.
- Tires which have been retreaded (other than those specifically mentioned in our Casing Warranty) or altered in any way are not warranted.
- Tires that do not have a Department of Transportation (DOT) number; tires that fail due to the addition of aftermarket materials (tire fill, sealant, balancer, etc.); tires that have been modified by notching, buffing or cutting; tires returned for weather/ozone cracking after 2 years from date of purchase; tires with production dates six (6) years and older.
- Cosmetic defects caused by weathering as well as used, reconditioned or blemished wheels are specifically excluded from this warranty.
- Chrome plating and clear coat finishes are warranted against peeling, cracking and other cosmetic flaws for a period of one (1) year from date of purchase.
- New wheels returned without all of the original packaging material in good condition including the original box will be charged a 15% restocking fee.
- Tube adjustments will be considered on a case by case basis and must be claimed within the first 30 days after installation or one year from the date of purchase, whichever comes first.

Please Note

All tires/wheels returned to Tireco for warranty consideration are subject to inspection. Tires/Wheels that are found to not meet the warranty criteria (adjustable) will be disposed of at the time of inspection unless the tires have been previously requested to be returned. All tires returned to the customer will be done at the customer's expense.

To Ask Questions, Request Information or File a Claim

Contact our warranty professionals at 1-800-937-9433 or via email at rma@tireco.com. No claim will be considered unless submitted in accordance with our standard claim procedures. Claim Forms and all warranty related forms can be found on our website www.tireco.com. All product returns must be accompanied by a completed Return Material Authorization (RMA) form and number. Products submitted without prior authorization will not be processed and are subject to freight chargeback.

Legal Rights

All implied warranties, including any warranty of merchantability or fitness for a particular purpose, are expressly limited to the duration of this written warranty. All obligations or liabilities for indirect, incidental or consequential damages are hereby excluded to the extent permitted by law, including economic loss, loss of profit, loss of use of vehicle, loss of time, inconvenience, personal injury or death. Some states/provinces do not allow limitations on how long an implied warranty lasts, or the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply. This warranty gives the customer legal rights that may vary from state/province to state/province. This is the only express warranty applicable to items sold by TIRECO, and supersedes the terms of any previous warranty.

WWW.SENDELWHEEL.COM | WWW.FORTEWHEEL.COM



For Whatever's Behind You



THE LARGEST OFFERING OF COMPLIANT ALUMINUM TRAILER WHEELS ON THE PLANET

100% SAE - J1204 TESTED & APPROVED NUMEROUS COLORS - MACHINING OPTIONS CARRYING CAPACITIES APPLICATION SPECIFIC EZ LUBE CAPS

2017 COLLECTION





For Whatever's Behind You



DESIGNING WITH PASSION

Manufacturing with precision and Designing with Passion is what you'll find from our brands. Wheels that have been artistically created to enhance the most current vehicle fashion. Which give tasteful and timeless accents to improve the looks of your vehicle. Each design is well thought out to be elegantly powerful and to add meaningful design which enhances a vehicle's image without overpowering it.

QUALITY AND TESTING

Our brands share high level manufacturing technology and quality principles. As a private label manufacture that has supplied many Original Equipment vehicle and trailer manufactures our items exceed the stringent demands of testing. All of our wheels have been tested to exceed the requirements of global quality and performance standards. SAE- J2530, SAE- J1204 and JWL are some of the more recognizable standards that we have surpassed. Some of our most recent trailer models were specially designed to pass both SAE-J2530 and J1204 on the same wheel. To our knowledge ours are the only trailer wheels that offer this level of certifications.

SELECT YOUR FAVORITE AND ENJOY

On the following pages you'll find our wheels separated into a few quick view categories. You'll be able to easily see many great choices that will enhance your vehicle, give great performance and long service. Once you've decided on the right look for you please send us and e-mail and we'll direct you to the closest direct dealer. After that, its miles and miles of pleasurable driving while looking great at each stop.





For Whatever's Behind You

2017 WHEELS COLLECTION 13 STYLES WITH MANY FINISHES













T12 2 FINISHES



T11 2 FINISHES



T10 2 FINISHES



T09 2 FINISHES



T08 5 FINISHES



5 FINISHES



T06 3 FINISHES



T03 2 FINISHES



T02





For Whatever's Behind You TRAILER FITTING GUIDE

		AL	иміни	М	Т				ΓING						STEEL	-
Size \ Model	T15	T14	T13	T12	T11	T10	T09	T08	T07	T06	T03	T02	S20T	S67	S63	S62
18 " Max Load Max PSI							5-LU 2,20 80 P	0 2	- LUG ,800 D PSI			5-LL 2,20 80 P	0 2	-LUG ,800) PSI		
17.5" Max Load Max PSI		T14 5,680 131 PSI			T11 4,850 125 PSI									S67 6,005 125 PSI		
17" Max Load Max PSI							5-LU 2,20 80 P	0 2	- LUG ,800 D PSI			5-LL 2,20 80 P)0 2	-LUG ,800) PSI		
16" 8-lug Max Load Max PSI	T15 3,750 110 PSI			T12 3,750 110 PSI	T11 3,960 110 PSI	T10 3,750 110 PSI	T09 3,750 110 PSI	T08 3,750 110 PSI	T07 3,750 110 PSI	T06 3,750 110 PSI	T03 3,580 94 PSI	T02 3,750 110 PSI	S20T 3,750 110 PSI		S63 4,100 145 PSI	S62 4,100 145 PSI
16" 6-lug Max Load Max PSI	T15 3,200 80 PSI			T12 3,200 80 PSI	T11 3,200 80 PSI	T10 3,200 80 PSI			T07 3,200 80 PSI	T06 3,200 80 PSI	T03 3,580 80 PSI	T02 3,200 80 PSI	S20T 3,200 80 PSI		S63 3,500 145 PSI	S62 3,500 145 PSI
15x6" 6-lug Max Load Max PSI	T15 2,830 80 PSI		T13 2,850 80 PSI	T12 2,830 80 PSI	T11 2,830 80 PSI	T10 2,830 80 PSI	T09 2,830 80 PSI	T08 2,830 80 PSI	T07 2,830 80 PSI	T06 2,830 80 PSI	T03 2,830 80 PSI	T02 2,830 80 PSI	S20T 2,830 80 PSI		S63 2,600 130 PSI	S62 2,600 130 PSI
15x6" 5-lug Max Load Max PSI	T15 2,150 80 PSI		T13 2,150 60 PSI	T12 2,150 80 PSI	T11 2,150 80 PSI	T10 2,150 80 PSI	T09 2,150 80 PSI	T08 2,150 80 PSI	T07 2,150 80 PSI	T06 2,150 80 PSI	T03 2,150 80 PSI	T02 2,150 80 PSI	S20T 2,150 80 PSI		S63 2,600 130 PSI	S62 2,600 130 PSI
15x5" 5 lug Max Load Max PSI	T15 1,870 80 PSI														S63 1,870 100 PSI	S62 1,870 100 PSI
14" Max Load Max PSI	T15 2,200 65 PSI		T13 1,900 60 PSI	T12 2,200 65 PSI	T11 2,200 65 PSI	T10 1,900 65 PSI	T09 2,200 65 PSI	T08 1,900 65 PSI	T07 1,900 65 PSI	T06 1,900 65 PSI	T03 1,900 65 PSI	T02 1,900 65 PSI	S20T 2,200 65 PSI		S63 1,870 100 PSI	S62 1,870 100 PSI
13" Max Load Max PSI			T13 1,660 60 PSI	T12 1,660 60 PSI			T09 1,660 60 PSI	T08 1,660 60 PSI	T07 1,660 60 PSI			T02 1,660 60 PSI			S63 1,468 50 PSI	S62 1,468 50 PSI
12" Max Load Max PSI			T13 1,220 65 PSI													S62 1,100 65 PSI

SPECIALTY TRAILER CAPS

- Durable ABS Plastic = Corrosion Free
- 3 Color Options: All Chrome, Chrome With Black Top, All Black



3.75"

CUSTOMER SERVICE 866.320.6891





BLACK MACHINED / SILVER

Size	14"	15x5" 5 Lug	15X6" 5 Lug	15X6"6 Lug	16"6 Lug	16" 8 Lug
Max Load	2,200	1,870	2,150	2,830	3,200	3,750
Max PSI	65 PSI	80 PSI	80 PSI	80 PSI	80 PSI	110 PSI



POLISHED

Size	17.5X6.75"	
Max Load	5,680	
Max PSI	131 PSI	

T13



BLACK MACHINED

Size	12" All	13" All	14" All	15"5 Lug	15"6 Lug
Max Load	1,220	1,660	1,900	2,150	2,850
Max PSI	65 PSI	60 PSI	60 PSI	60 PSI	80 PSI



BLACK MACHINED / SILVER MACHINED

Size	13"	14"	15" 5 Lug	15"6 Lug	16"6 Lug	16"8 Lug
Max Load	1,660	2,200	2,150	2,830	3,200	3,750
Max PSI	65 PSI	65 PSI	80 PSI	80 PSI	80 PSI	110 PSI





BLACK MACHINED / SILVER MACHINED

Size	14"	15" 5 Lug	15" 6 Lug	16" 6 Lug	16"8 Lug	17.5"
Max Load	2,200	2,150	2,830	3,200	3,750	4,850
Max PSI	65 PSI	80 PSI	80 PSI	80 PSI	110 PSI	125 PSI







BLACK MACHINED / SILVER MACHINED

Size	14"	15" 5 Lug	15"6 Lug	16"6 Lug	16"8 Lug
Max Load	1,900	2,150	2,830	3,200	3,750
Max PSI	65 PSI	80 PSI	80 PSI	80 PSI	110 PSI



BLACK MACHINED / SILVER MACHINED

				20	
Size	13" All	14"	15"5 Lug	15"6 Lug	16"8 Lug
Max Load	1,660	2,200	2,150	2,830	3,750
Max PSI	60 PSI	65 PSI	65 PSI	80 PSI	110 PSI



SM / SMLS / MB / MBML / BMLS

Size	13"	14"	15"5 Lug	15"6 Lug	16" 8 Lug	17"5 Lug	17"6 Lug	18" 5 Lug	18"6 Lug
Max Load	1,660	1,900	2,150	2,830	3,750	2,200	2,800	2,200	2,800
Max PSI	65 PSI	65 PSI	80 PSI	80 PSI	110 PSI	80 PSI	80 PSI	80 PSI	80 PSI



SM / BM / GM / MB / WM (NOT PICTURED)

Size	13"	14"	15"5 Lug	15"6 Lug	16"6 Lug	16"8 Lug
Max Load	1,660	1,900	2,150	2,830	3,200	3,750
Max PSI	65 PSI	65 PSI	80 PSI	80 PSI	80 PSI	110 PSI





SILVER MACHINED / GRAY MACHINED / BLACK MACHINED

Size	14"	15"5 Lug	15"6 Lug	16 6 Lug	16"8 Lug
Max Load	1,900	2,150	2,830	3,200	3,750
Max PSI	65 PSI	80 PSI	80 PSI	80 PSI	110 PSI

T03





SILVER MACHINED / BLACK MACHINED

Size	14"	15" 5 Lug	15"6 Lug	16"6 Lug	16"8 Lug
Max Load	1,900	2,150	2,830	3,580	3,580
Max PSI	65 PSI	80 PSI	80 PSI	80 PSI	94 PSI

T02



SILVER MACHINED

Size	13"	14"	15" 5 Lug	15"6 Lug	16"6 Lug	16"8 Lug
Max Load	1,660	1,900	2,150	2,830	3,200	3,750
Max PSI	65 PSI	65 PSI	80 PSI	80 PSI	80 PSI	110 PSI

S20T



MATTE BLACK MACHINED LIP / MACHINED

Size	14"	15" 5 Lug	15" 6 Lug	16" 6 Lug	16" 8 Lug	17" 5 Lug	17"6 Lug	18" 5 Lug	18" 6 Lug
Max Load	2,200	2,150	2,830	3,200	3,750	2,200	2,850	2,200	2,850
Max PSI	65 PSI	80 PSI	80 PSI	80 PSI	110 PSI	80 PSI	80 PSI	80 PSI	80 PSI

SPECIALTY FASHION 17"18"



T08 MB



T08 MBML



T08 SMLS



S55 O E M



Size	12x4"	10x7"	10x6"	8x7"	8x6.125"	8x6.375"	8.375"
Max Load	1,000	1,600	1,650	1,040		1,100	901
Max PSI							

S62



WHITE / GALVANIZED

Size	12"	13"	14"	15x5"	15x6"	16"6 Lug	16" 8 Lug	16-8HD
Max Load	1,100	1,468	1,870	1,870	2,600	3,500	3,750	4,100
Max PSI	90 PSI	50 PSI	100 PSI	100 PSI	130 PSI	145 PSI	145 PSI	145 PSI

S63



Size	13"	14"	15x5"	15x6"	16"6Lug	16"8 Lug	16-8HD
Max Load	1,468	1,870	1,870	2,600	3,500	3,750	4,100
Max PSI	50 PSI	100 PSI	100 PSI	130 PSI	145 PSI	145 PSI	145 PSI



Size	17.5"	22.5"	24.5"
Max Load	6,005	7,400	7,400
Max PSI	125PSI	120 PSI	120 PSI

S69



Size	17x7"	17x6.5"	16x6.5"	16x6"	15x6.5"	15x6"	14x6"	14x5.5"
Max Load	1,650	1,549	1,549	1,400	1,400	1,400	1,400	1,400
Max PSI								



TO8 BMLS

T10 BM

