



S *SenDel*
Make an Impression

FORTE
THE FUSION OF PASSION & DESIGN

2018 WHEEL COLLECTION

SENDELWHEEL.COM | FORTEWHEEL.COM

@sendelwheel @fortewheel @sendelwheel @fortewheel



2018 WHEEL COLLECTION

DIRECTORY

SENDEL OFF-ROAD

S38 LOCKER	3
S37 STEALTH	5
S36 NIGHTHAWK	5
S35 RECON / RECON-8	6
S34 SNIPER / SNIPER-8	8
S32 SPOTTER	9
S13	9

FORTE CARS, CUV'S, SUV'S

F79 WOODWARD	13
F78 SHURIKEN	14
F77 BOARDWALK	14
F76 JESSE-ONE	15
F71 MISTRESS	16
F70 JEKYL / HYDE	17
F50 STRESS / TWISTED	17

SUBJECT TO AVAILABILITY 21

WARRANTY 22

DESIGNING WITH PASSION

Manufacturing with precision and Designing with Passion is what you'll find from our brands. Wheels that have been artistically created to enhance the most current vehicle fashion. Which give tasteful and timeless accents to improve the looks of your vehicle. Each design is well thought out to be elegantly powerful and to add meaningful design which enhances a vehicle's image without overpowering it.

QUALITY AND TESTING

Our brands share high level manufacturing technology and quality principles. As a private label manufacturer that has supplied many Original Equipment vehicle and trailer manufacturers our items exceed the stringent demands of testing. All of our wheels have been tested to exceed the requirements of global quality and performance standards. SAE- J2530, SAE- J1204 and JWL are some of the more recognizable standards that we have surpassed. Some of our most recent trailer models were specially designed to pass both SAE- J2530 and J1204 on the same wheel. To our knowledge ours are the only trailer wheels that offer this level of certifications.

SELECT YOUR FAVORITE AND ENJOY

On the following pages you'll find our wheels separated into a few quick view categories. You'll be able to easily see many great choices that will enhance your vehicle, give great performance and long service. Once you've decided on the right look for you please send us an e-mail and we'll direct you to the closest direct dealer. After that, its miles and miles of pleasurable driving while looking great at each stop.



TRUCK & OFF-ROAD



S38 LOCKER
MATTE BLACK MACHINED | MATTE GRAPHITE
20X10 20X9 18X9 17X9 16X8



S37 STEALTH
MATTE BLACK W/ MILL SPOTS
20X9 18X9 17X9



S36 NIGHT HAWK
MATTE BLACK MILLED
20X9 18X9 17X9



S35 RECON / RECON-8
MATTE BLACK
RECON 20X9 18X9 17X9
RECON-8 20X9 18X9



S34 SNIPER / SNIPER-8
GLOSS BLACK MILLED
SNIPER 20X9 18X9 17X9
SNIPER-8 20X9 18X9



S32 SPOTTER
GLOSS BLACK MILLED
17X8 16X8 15X8



S13
GLOSS BACK MACHINED | MATTE BLACK
17X8 16X8 15X8 15X7



PHOTO CREDIT: RCH DESIGNS

S38 LOCKER

MATTE BLACK MACHINED
MATTE GRAPHITE W/ BLACK OUTER FLANGE



5 LUG CAP



6 LUG CAP



6 LARGE CAP



8 LUG CAP





S38 CUSTOM PAINTED
ON MILESTAR PATAGONIA MT LT285/70R17

LIP SIZE

20X10" 3.50"

20X9" 2.50"

18" 2.50"

17" 2.25"

16" 2.25"

SIZE	OFFSETS
16X8	+10, +20
17X9	-12, +10, +20, +25
18X9	-12, +10, +20, +25
20X9	-12, +10, +20, +25
20X10	-25, -12



S37 STEALTH

MATTE BLACK W/ MILL SPOTS



SIZE	OFFSETS
17X9	+10, +20, +25
18X9	+10, +20, +25
20X9	-12, +10, +20, +25

LIP SIZE

- 3.50" **20"**
- 3.00" **18"**
- 2.25" **17"**



S36 NIGHTHAWK

MATTE BLACK DETAILED MILLING

LIP SIZE 20" 4.25"

18" 3.00"

17" 2.25"

SIZE	OFFSETS
17X9	+10, +20, +25
18X9	+10, +20, +25
20X9	-12, +10, +20, +25

S35 RECON

MATTE BLACK
5 & 6 LUG COVERED LUG CAP



SIZE	OFFSETS
17X9	+10, +20, +25
18X9	+10, +20, +25
20X9	-12, +10, +25

S35 RECON-8

MATTE BLACK
8-LUG OPEN LUG CAP
5X150 OPEN LUG CAP

SIZE	OFFSETS
18X9	+10, +20
20X9	+10, +20





S34 GLOSS BLACK MILLED
ON MILESTAR PATAGONIA MT LT305/55R20



S34 SNIPER

GLOSS BLACK MILLED



SIZE	OFFSETS
17X9	+10, +20, +25
18X9	+10, +20, +25
20X9	-12, +10, +25

S34 SNIPER-8

GLOSS BLACK MILLED
8-LUG OPEN LUG CAP
5X150 OPEN LUG CAP

SIZE	OFFSETS
18X9	+10, +20
20X9	+10, +20



S32 SPOTTER

GLOSS BLACK MILLED

SIZE	OFFSETS
15X8	-20
16X8	+10, +20, +25
17X8	+10, +20, +25



S13

BLACK & MACHINED
MATTE BLACK

SIZE	OFFSETS
15X7	-7
15X8	-20
16X8	+10
17X8	+10, +25





F71 GLOSS BLACK

FORTE'
THE FUSION OF PASSION & DESIGN

F
FORTE'
SPORT

Forte Wheels is an example of our heart and passion molded in Aluminum. We love cars, trucks, CUV's and SUV's of all shapes and sizes. Inside we're a bunch of auto enthusiasts that love cars and the freedom of spirit they represent. For us cars are not merely transportation. They're your friend on a warm sunny day, your shelter on a rainy night and always there to get you to a new destination.

TESTING AND QUALITY

We take this passion along with our technical manufacturing expertise to create good looking and excellent performing wheels. All of our items are technically sound. They meet or exceed the most stringent standards for safety and are tested to global wheel testing standard SAE-J2530.

DESIGNED TO COMPLEMENT NOT OVER POWER

Our designs lean more towards being complimentary to a vehicle as opposed to taking over the looks of a vehicle. We want all of our wheels to be so tasteful and elegant that you can't imagine the vehicle coming any other way. Our fitments are to be what we call "just-right" and our designs to be elegant and clean. We want people to see a vehicle with our designs and say those wheels look great and it's amazing on how well they compliment the whole vehicle.

FORTE'
THE FUSION OF PASSION & DESIGN



CARS, SUV'S / CUV'S



F79 WOODWARD
CHROME | MATTE BLACK MACHINED
SILVER MACHINED (NOT PICTURED)
20X10 20X8.5 15X8 15X7



F78 SHURIKEN
BLACK MACHINED | MATTE BLACK
20X8.5 18X8 17X7.5



F77 BOARDWALK
CHROME | SILVER MACHINED
19X8 18X8 17X7.5 16X7.5



F76 JESSE-ONE
MATTE BLACK MILLED | CHROME
20X9 22X9



F71 MISTRESS
SILVER MACHINED | GLOSS BLACK
22X9 20X8.5 18X8



F70 *JEKYLL / HYDE
*BLACK MIRROR | DARK PVD
22X8.5 20X8.5 18X8
17X7.5 16X7



F50 *STRESS / TWISTED
CHROME | BLACK MIRROR
24X9.5 22X9.5 *20X8.5 *18X8

F79 WOODWARD

MATTE BLACK MACHINED
SILVER MACHINED
CHROME



LIP SIZE

- 20X10" 4.75"
- 20X8.5" 4.00"
- 15X8" 2.25"
- 15X7" 1.75"

SIZE	OFFSETS
15X7	+0
15X8	-19, +0
20X8.5	+15, +25, +38
20X10	+25, +30, +45



F79 CHROME 15X8
ON MILESTAR STREETSTEEL 245/60R15

F78 SHURIKEN

BLACK MACHINED
MATTE BLACK



SIZE	OFFSETS
17X7.5	+38
18X8	+38
20X8.5	+15, +38

F77 BOARDWALK

SILVER MACHINED
CHROME



SIZE	OFFSETS
16X7.5	+20, +38
17X7.5	+20, +38
18X8	+20, +38
19X8	+20, +38

F76 JESSE-ONE

MATTE BLACK MILLED
CHROME



LIP SIZE 22" 5.50"
20" 5.00"

SIZE	OFFSETS
20X9	+18, +20, +25, +30
22X9	+18, +20, +25, +30



F76 MATTE BLACK MILLED
ON MILESTAR MS932 XP 245/40ZR20



F71 GLOSS BLACK
ON MILESTAR MS932 XP 275/40ZR20



F71 MISTRESS
SILVER MACHINED
GLOSS BLACK

SIZE	OFFSETS
18X8	+15, +35
20X8.5	+15, +35
22X9	+15, +35



F70 JEKYLL* / HYDE

*BLACK MIRROR
DARK PVD

SIZE	OFFSETS
16X7	+42
17X7.5	+42
18X8	+15, +38
20X8.5	+20, +35
22X8.5	+20, +35



F50 STRESS* / TWISTED

*CHROME
BLACK MIRROR

SIZE	OFFSETS
18X8	+15, +20, +31, +35, +40
20X8.5	+15, +20, +31, +35
22X9.5	+15, +20, +31, +35
24X9.5	+15, +20, +31




PHOTO CREDIT: RCH DESIGNS



PHOTO CREDIT: RCH DESIGNS







F75 EURO / IDOL
GLOSS BLACK MILLED | BRIGHT PVD
22X9 20X8.5 18X8



F74 TETON
SILVER
18X8 17X7 16X7



F73 GT-V
CHARCOAL MACHINED
18X8 17X7.5 16X7.5



F72 BLACKOUT
GLOSS BLACK | GLOSS BLACK MACHINED
18X8 17X7.5 16X7.5



F67 NIGHT MOVES
BLACK MIRROR
22X10 22X8.5 20X8.5
18X8 17X7.5



F64 CAHOOTS
BLACK MIRROR
22X9.5 20X8.5



F63 JONES SIX
BLACK MIRROR
22X10 20X9



F62 JONES FIVE
BLACK MIRROR
22X10 22X8.5 20X8.5



F45 REDRUM
BLACK RED STRIPE
20X8.5 18X8 17X7.5



S07
CHARCOAL MACHINED
17X7.5 16X7 15X7



S30
SILVER
17X7 16X7



S06
SILVER
18X7.5 17X7 16X7 15X7



S31 MIA
GLOSS BLACK MILLED
22X9.5 20X9 18X9 17X9

STANDARD LIMITED WARRANTY

Every tire, tube and wheel supplied by TIRECO is warranted to be free from defects in materials and workmanship subject to terms, conditions and limitations as stated below. If our examination of a warrantable product determines that the product has failed due to a defect in materials or workmanship, we will make a reasonable allowance toward the purchase of a new product at current prices or other adjustment within our discretion. Adjustments will be made on a pro-rata basis determined by the amount of usage or service received by the product and will be based on the most recent purchase price (proof of purchase is required).

Terms, Conditions and Limitations

Any product, no matter how well constructed may fail in service or become unserviceable due to conditions beyond the control of the manufacturer. Under no circumstance is this limited warranty a representation that a tire, tube or wheel failure cannot occur.

This warranty is only applicable to products sold in and used on vehicles registered & operated in the United States, U.S. Territories, Canada and Mexico. In addition, this warranty is applicable to the original purchaser of the product and this warranty is not transferable. The costs of mounting, balancing and other associated services as well as any applicable Federal, State or Local taxes are not covered by this warranty.

This limited warranty does not cover and TIRECO will not adjust any of our products against road hazards such as but not limited to cuts, punctures (whether repairable or not), snags, bruises, tears, impact breaks, etc. Products are also not warranted if damaged due to misuse such as but not limited to improper installation or mounting, misapplication, repair, overloading, improper inflation, excessive speed, racing, spinning, drifting, unintended off-road use, stone drilling, improper use of chains, use of non-approved or non-standard rims (as determined by the Tire and Rim Association), continued operation while severely under-inflated, misalignment or imbalance of wheels/rims, defective brakes or shock absorbers, abuse, accident or collision, willful damage, oil or chemical action, improper storage, fire or other excessive heat, vandalism, and water or other material entrapped inside the product.

Specific Tire, Wheel and Tube Limitations & Exclusions:

- Tire adjustments will be based on the remaining tread depth. Tires worn to 2/32" tread depth or to the tread wear indicator bars are deemed to have served their full useful tread life and are not adjustable for any reason.
- Tires returned for out-of-round or ride disturbance conditions within the first 2/32 of tread wear will be credited for 100% of their value based on the average purchase price for the last six months. Tires returned for out of round beyond the first 2/32 of wear will not be considered for adjustment. Off Road, Agriculture, Specialty and Trailer tires are not eligible for out-of-round or ride disturbance consideration.
- Tires that have been branded to note special classifications such as "B" (blemished) may not be considered for adjustment at TIRECO's sole discretion. Tires marked with an "NA" (non-adjustable) are specifically excluded from this limited warranty.
- For tires and wheels designed for and used on all classes of recreational vehicles, equipment trailers, horse trailers, cargo trailers and all other trailers, TIRECO may require a certified weight ticket for any warranty consideration. Specialty Trailer tires sold to Original Equipment manufacturers are specifically limited to a warranty of four (4) years from date of manufacture and any allowance made will be based on our Manufacturer's Suggested Retail Price (MSRP). Specialty Trailer wheels are limited to a warranty of two (2) years from the date of manufacture.
- Loss of time, or use, inconvenience, or any incidental or consequential damage.
- Tires which have been retreaded (other than those specifically mentioned in our Casing Warranty) or altered in any way are not warranted.
- Tires that do not have a Department of Transportation (DOT) number; tires that fail due to the addition of aftermarket materials (tire fill, sealant, balancer, etc.); tires that have been modified by notching, buffing or cutting; tires returned for weather/ozone cracking after 2 years from date of purchase; tires with production dates six (6) years and older.
- Cosmetic defects caused by weathering as well as used, reconditioned or blemished wheels are specifically excluded from this warranty.
- Chrome plating and clear coat finishes are warranted against peeling, cracking and other cosmetic flaws for a period of one (1) year from date of purchase.
- New wheels returned without all of the original packaging material in good condition including the original box will be charged a 15% restocking fee.
- Tube adjustments will be considered on a case by case basis and must be claimed within the first 30 days after installation or one year from the date of purchase, whichever comes first.

Please Note

All tires/wheels returned to Tireco for warranty consideration are subject to inspection. Tires/Wheels that are found to not meet the warranty criteria (adjustable) will be disposed of at the time of inspection unless the tires have been previously requested to be returned. All tires returned to the customer will be done at the customer's expense.

To Ask Questions, Request Information or File a Claim

Contact our warranty professionals at 1-800-937-9433 or via email at rma@tireco.com. No claim will be considered unless submitted in accordance with our standard claim procedures. Claim Forms and all warranty related forms can be found on our website www.tireco.com. All product returns must be accompanied by a completed Return Material Authorization (RMA) form and number. Products submitted without prior authorization will not be processed and are subject to freight chargeback.

Legal Rights

All implied warranties, including any warranty of merchantability or fitness for a particular purpose, are expressly limited to the duration of this written warranty. All obligations or liabilities for indirect, incidental or consequential damages are hereby excluded to the extent permitted by law, including economic loss, loss of profit, loss of use of vehicle, loss of time, inconvenience, personal injury or death. Some states/provinces do not allow limitations on how long an implied warranty lasts, or the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply. This warranty gives the customer legal rights that may vary from state/province to state/province. This is the only express warranty applicable to items sold by TIRECO, and supersedes the terms of any previous warranty.

CUSTOMER SERVICE **866.320.6891**
WWW.FORTEWHEEL.COM
WWW.SENDELWHEEL.COM



For Whatever's Behind You



FREESTAR FS-500 ALL STEEL ST225/75R15 TIRES RATED @ 3195 LBS @ 95 PSI
ON SENDEL T02 ALUMINUM TOWABLE WHEELS

THE LARGEST OFFERING OF COMPLIANT ALUMINUM TRAILER WHEELS ON THE PLANET

100% SAE - J1204 TESTED & APPROVED
NUMEROUS COLORS - MACHINING OPTIONS
MAX CARRYING CAPACITIES
APPLICATION SPECIFIC EZ LUBE CAPS

2018 COLLECTION

SENDELTOWABLE.COM

 @sendeltowable  @sendeltowable



For Whatever's Behind You

DESIGNING WITH PASSION

Manufacturing with precision and Designing with Passion is what you'll find from our brands. Wheels that have been artistically created to enhance the most current vehicle fashion. Which give tasteful and timeless accents to improve the looks of your vehicle. Each design is well thought out to be elegantly powerful and to add meaningful design which enhances a vehicle's image without overpowering it.

QUALITY AND TESTING

Our brands share high level manufacturing technology and quality principles. As a private label manufacturer that has supplied many Original Equipment vehicle and trailer manufacturers our items exceed the stringent demands of testing. All of our wheels have been tested to exceed the requirements of global quality and performance standards. SAE- J2530, SAE- J1204 and JWJ are some of the more recognizable standards that we have surpassed. Some of our most recent trailer models were specially designed to pass both SAE- J2530 and J1204 on the same wheel. To our knowledge ours are the only trailer wheels that offer this level of certifications.

SELECT YOUR FAVORITE AND ENJOY

On the following pages you'll find our wheels separated into a few quick view categories. You'll be able to easily see many great choices that will enhance your vehicle, give great performance and long service. Once you've decided on the right look for you please send us an e-mail and we'll direct you to the closest direct dealer. After that, its miles and miles of pleasurable driving while looking great at each stop.





TRAILER WHEELS MANUFACTURING AND DESIGN TAKEN TO AN ALL NEW LEVEL

Our 568 construction and design process helps us make the best looking and best functioning wheels in the trailer industry. By narrowing our focus and processes specifically to the needs of each bolt pattern we can produce a better wheel more efficiently. This costs us extra tooling and extra testing to make sure each wheel is right. By designing a 5 lug wheel with 5 spokes the loads are carried in the most efficient manner. By replicating that process of matching the amount of spokes for lugs in the 6 lug and 8 lug we redefine trailer wheels and how to best build a product.

While we offer the technologically advanced 568 construction process on some of our wheels we have also found that consumers sometimes choose wheels on fashion. In this case we also build wheels in a more universal fit to give the consumer other looks they may want. Rest assured these wheels pass all of our testing as the 568 wheels they just might be a little heavier in metal to achieve our high standards.

MEETING THE NEWEST LOADS OF THE IN OUR RAPIDLY CHANGING INDUSTRY

Trailers are getting bigger and more complicated. Tire technology and strengths are improving. This is great for us. As a leader we do not only look at traditional testing standards but we also look to the real world and new standards that are happening. Sometimes the traditional standards are slower to react to new technology. This is why you will clearly see some of our 2018 items have newer higher strength and maximum air capacities. The RVIA (Recreational Vehicle Industry Association) is advising on some higher capabilities for trailer wheels and tires. While they are not a global standard or testing hub we look at the message they are sending and feel we can better serve customers by meeting these new demands. At Sendel Towables you will find the best and most current selection of trailer wheels in the world.



5 LUG 5 SPOKE 6 LUG 6 SPOKE 8 LUG 8 SPOKE



Size	13"	14"	15" 5 Lug	15" 6 Lug	16" 6 Lug	16" 8 Lug
Max Load	1,660	1,900	2,150	2,830	3,200	3,750
Max PSI	65 PSI	65 PSI	80 PSI	80 PSI	80 PSI	110 PSI
2018 Load		2,200			3,750	
2018 PSI		80 PSI			110 PSI	

TRAILER FITTING GUIDE

Size \ Model	ALUMINUM												STEEL								
	T15	T14	T13	T12	T11	T10	T09	T08	T07	T06	T03	T02	S20	S67	S63/S64	S62T/S62TG					
18" Max Load Max PSI							T08 5-LUG 2,200 80 PSI 6-LUG 2,800 80 PSI								S20 5-LUG 2,200 80 PSI 6-LUG 2,800 80 PSI						
17.5" Max Load Max PSI	T14 5,680 131 PSI					T11 4,850 125 PSI												S67 6,005 125 PSI			
17" Max Load Max PSI							T08 5-LUG 2,200 80 PSI 6-LUG 2,800 80 PSI								S20 5-LUG 2,200 80 PSI 6-LUG 2,800 80 PSI						
16" 8-lug Max Load Max PSI	T15 3,750 110 PSI			T12 3,750 110 PSI	T11 3,960 110 PSI	T10 3,750 110 PSI	T09 3,750 110 PSI	T08 3,750 110 PSI	T07 3,750 110 PSI	T06 3,750 110 PSI	T03 3,580 94 PSI	T02 3,750 110 PSI	S20 3,750 110 PSI			S63/S64 3,750 145 PSI	S62T/S62TG 3,750 145 PSI				
2018 LOAD															4,400	4,400					
16" 6-lug Max Load Max PSI	T15 3,200 80 PSI				T12 3,200 80 PSI	T11 3,200 80 PSI	T10 3,200 80 PSI			T07 3,200 110 PSI	T06 3,200 80 PSI	T03 3,580 80 PSI	T02 3,200 80 PSI	S20 3,200 110 PSI			S63/S64 3,500 145 PSI	S62T/S62TG 3,500 145 PSI			
2018 LOAD									3,750 110 PSI					3,750 110 PSI							
2018 AIR									3,750 110 PSI					3,750 110 PSI							
15x6" 6-lug Max Load Max PSI	T15 2,830 80 PSI			T13 2,850 80 PSI	T12 2,830 80 PSI	T11 2,830 80 PSI	T10 2,830 80 PSI	T09 2,830 80 PSI	T08 2,830 80 PSI	T07 2,830 80 PSI	T06 2,830 80 PSI	T03 2,830 80 PSI	T02 2,830 80 PSI	S20 2,830 80 PSI			S63/S64 2,600 130 PSI	S62T/S62TG 2,600 130 PSI			
2018 LOAD	3,200 95 PSI							2,860					3,200 95 PSI	3,200 95 PSI			3,200 95 PSI	3,200 95 PSI			
2018 AIR	3,200 95 PSI							2,860					3,200 95 PSI	3,200 95 PSI			3,200 95 PSI	3,200 95 PSI			
15x6" 5-lug Max Load Max PSI	T15 2,830 80 PSI			T13 2,150 60 PSI	T12 2,150 80 PSI	T11 2,150 80 PSI	T10 2,150 80 PSI	T09 2,150 80 PSI	T08 2,150 80 PSI	T07 2,150 80 PSI	T06 2,150 80 PSI	T03 2,150 80 PSI	T02 2,150 80 PSI	S20 2,150 80 PSI			S63/S64 2,600 130 PSI	S62T/S62TG 2,600 130 PSI			
2018 LOAD									2,200					2,830	2,200			3,200			
15x5" 5-lug Max Load Max PSI	T15 1,870 80 PSI															S63/S64 1,870 100 PSI	S62T/S62TG 1,870 100 PSI				
14" Max Load Max PSI	T15 2,200 75 PSI			T13 2,200 75 PSI	T12 2,200 75 PSI	T11 2,200 75 PSI	T10 2,200 65 PSI	T09 2,200 65 PSI	T08 1,900 80 PSI	T07 1,900 80 PSI	T06 1,900 65 PSI	T03 1,900 65 PSI	T02 1,900 65 PSI	S20 2,200 75 PSI			S63/S64 1,870 100 PSI	S62T/S62TG 1,870 100 PSI			
2018 LOAD									2,200 80 PSI	2,200 80 PSI											
2018 AIR									2,200 80 PSI	2,200 80 PSI											
13" Max Load Max PSI				T13 1,660 60 PSI	T12 1,660 60 PSI			T09 1,660 60 PSI	T08 1,660 65 PSI	T07 1,660 60 PSI				T02 1,660 60 PSI			S63/S64 1,468 50 PSI	S62T/S62TG 1,468 50 PSI			
2018 LOAD									65 PSI												
12" Max Load Max PSI				T13 1,220 65 PSI													S62T/S62TG 1,100 65 PSI				

SPECIALTY TRAILER CAPS

• Durable ABS Plastic = Corrosion Free • 3 Color Options: All Chrome, Chrome With Black Top, All Black



3.19"

3.75"

4.25"

4.90"



For Whatever's Behind You

2018 WHEELS COLLECTION
13 STYLES WITH MANY FINISHES



T15
2 FINISHES



T14



T13



T12
2 FINISHES



T11
2 FINISHES



T10
2 FINISHES



T09
2 FINISHES



T08
5 FINISHES



T07
5 FINISHES



T06
3 FINISHES



T03
2 FINISHES



T02



S20
2 FINISHES

T15



BLACK MACHINED / SILVER

Size	14"	15x5" 5 Lug	15X6" 5 Lug	15X6" 6 Lug	16" 6 Lug	16" 8 Lug
Max Load	2,200	1,870	2,150	2,830	3,200	3,750
Max PSI	65 PSI	80 PSI	80 PSI	80 PSI	80 PSI	110 PSI
2018 Load				3,200		
2018 Load				95 PSI		

T14



POLISHED

Size	17.5X6.75"
Max Load	5,680
Max PSI	131 PSI

T13



BLACK MACHINED

Size	12" All	13" All	14" All	15" 5 Lug	15" 6 Lug
Max Load	1,220	1,660	2,200	2,150	2,850
Max PSI	65 PSI	60 PSI	60 PSI	60 PSI	80 PSI

T12



5 LUG 5 SPOKE 6 LUG 6 SPOKE 8 LUG 8 SPOKE



BLACK MACHINED / SILVER MACHINED

Size	13"	14"	15" 5 Lug	15" 6 Lug	16" 6 Lug	16" 8 Lug
Max Load	1,660	2,200	2,150	2,830	3,200	3,750
Max PSI	60 PSI	75 PSI	80 PSI	80 PSI	80 PSI	110 PSI

T11



5 LUG 5 SPOKE 6 LUG 6 SPOKE 8 LUG 8 SPOKE



BLACK MACHINED / SILVER MACHINED

Size	14"	15" 5 Lug	15" 6 Lug	16" 6 Lug	16" 8 Lug	17.5"
Max Load	2,200	2,150	2,830	3,200	3,960	4,850
Max PSI	75 PSI	80 PSI	80 PSI	80 PSI	110 PSI	125 PSI

T10



5 LUG 5 SPOKE 6 LUG 6 SPOKE 8 LUG 8 SPOKE



BLACK MACHINED / SILVER MACHINED

Size	14"	15" 5 Lug	15" 6 Lug	16" 6 Lug	16" 8 Lug
Max Load	2,200	2,150	2,830	3,200	3,750
Max PSI	65 PSI	80 PSI	80 PSI	80 PSI	110 PSI

T09



5 LUG 5 SPOKE 6 LUG 6 SPOKE 8 LUG 8 SPOKE



BLACK MACHINED / SILVER MACHINED

Size	13" All	14"	15" 5 Lug	15" 6 Lug	16" 8 Lug
Max Load	1,660	2,200	2,150	2,830	3,750
Max PSI	60 PSI	65 PSI	80 PSI	80 PSI	110 PSI

T08



5 LUG 5 SPOKE 6 LUG 6 SPOKE 8 LUG 8 SPOKE



SM (NOT PICTURED) / SMLS / MB / MBML / BMLS

Size	13"	14"	15" 5 Lug	15" 6 Lug	16" 8 Lug
Max Load	1,660	1,900	2,150	2,830	3,750
Max PSI	60 PSI	65 PSI	80 PSI	80 PSI	110 PSI
2018 Load		2,200	2,200	2,860	
2018 PSI	65 PSI	80 PSI	80 PSI	80 PSI	

T08



BMLS / MBML / MB / SMLS

Size	17" 5 Lug	17" 6 Lug	18" 5 Lug	18" 6 Lug
Max Load	2,200	2,800	2,200	2,800
Max PSI	80 PSI	80 PSI	80 PSI	80 PSI



5 LUG 5 SPOKE 6 LUG 6 SPOKE 8 LUG 8 SPOKE

T07



SILVER MACHINED / BLACK MACHINED

Size	13"	14"	15" 5 Lug	15" 6 Lug	16" 6 Lug	16" 8 Lug
Max Load	1,660	1,900	2,150	2,830	3,200	3,750
Max PSI	60 PSI	65 PSI	80 PSI	80 PSI	110 PSI	110 PSI
2018 Load		2,200			3,750	
2018 PSI		80 PSI			110 PSI	



5 LUG 5 SPOKE 6 LUG 6 SPOKE 8 LUG 8 SPOKE

T07



GRAY MACHINED / MB / WM (NOT PICTURED)

Size	13"	14"	15" 5 Lug	15" 6 Lug	16" 6 Lug	16" 8 Lug
Max Load	1,660	1,900	2,150	2,830	3,200	3,750
Max PSI	65 PSI	65 PSI	80 PSI	80 PSI	80 PSI	110 PSI
2018 Load		2,200			3,750	
2018 PSI		80 PSI			110 PSI	



5 LUG 5 SPOKE 6 LUG 6 SPOKE 8 LUG 8 SPOKE

T06



SILVER MACHINED / GRAY MACHINED / BLACK MACHINED

Size	14"	15" 5 Lug	15" 6 Lug	16" 6 Lug	16" 8 Lug
Max Load	1,900	2,150	2,830	3,200	3,750
Max PSI	65 PSI	80 PSI	80 PSI	80 PSI	110 PSI

T03



SILVER MACHINED / BLACK MACHINED

Size	14"	15" 5 Lug	15" 6 Lug	16" 6 Lug	16" 8 Lug
Max Load	1,900	2,150	2,830	3,580	3,580
Max PSI	65 PSI	80 PSI	80 PSI	80 PSI	94 PSI

T02



SILVER MACHINED

Size	13"	14"	15" 5 Lug	15" 6 Lug	16" 6 Lug	16" 8 Lug
Max Load	1,660	1,900	2,150	2,830	3,200	3,750
Max PSI	65 PSI	65 PSI	80 PSI	80 PSI	80 PSI	110 PSI
2018 Load			2,830	3,200		
2018 Air				95 PSI		

S20



MATTE BLACK MACHINED LIP / MACHINED

Size	14"	15" 5 Lug	15" 6 Lug	16" 6 Lug	16" 8 Lug
Max Load	2,200	2,150	2,830	3,200	3,750
Max PSI	65 PSI	80 PSI	80 PSI	80 PSI	110 PSI
2018 Load		2,830	3,200	3,750	
2018 PSI			95 PSI	110 PSI	

S20



MATTE BLACK MACHINED LIP / MACHINED

Size	17" 5 Lug	17" 6 Lug	18" 5 Lug	18" 6 Lug
Max Load	2,200	2,850	2,200	2,850
Max PSI	80 PSI	80 PSI	80 PSI	80 PSI



FREESTAR
M-108+
ST RADIAL

PREMIUM TRAILER
7 sizes: 13" - 16"
75 / 80 / 85 series

IMPROVED PERFORMANCE

Built off of the same proven FREESTAR M-108 platform, but featuring L Speed Ratings, and 10/32" tread depth

HEAVY-DUTY CARRYING CAPACITY

Heavy-duty ply rating for maximum carrying capacity

ENHANCED DURABILITY

Steel-belted radial construction helps resist impact damage, improves wear, and durability

Tire Size	Service Index	LR/PR	Tread Depth	Max Load Single
ST175/80R13	91/87L	C/6	10/32	1360@51
ST205/75R14	100/96L	C/6	10/32	1760@51
ST215/75R14	102/98L	C/6	10/32	1870@51
ST205/75R15	107/102L	D/8	10/32	2150@65
ST225/75R15	117/112L	E/10	10/32	2830@80
ST235/80R16	124/120L	E/10	10/32	3520@80
ST235/85R16	125/121L	E/10	10/32	3640@80



FREESTAR
FS-500
ALL STEEL RADIAL

PREMIUM TRAILER
ST225/75R15

EVEN WEAR

Solid, rounded shoulder provides lateral stability and even tread wear

HANDLING

Integrated central ribs provide optimized towing grip and handling

STRENGTH

All-steel casing supports heavy-load rating to provide integrity and durability

*Trailer applications only. Requires special heavy-load capacity wheel. Consult wheel manufacturer for proper application.

Tire Size	Service Index	LR/PR	Tread Depth	Max Load Single
ST225/75R15	121/117L	F/12	11/32	3195@95

S55 OEM



WHITE

Size	12x4"	10x7"	10x6"	8x7"	8x5.375"	8x3.75"
Max Load	1,000	1,600	1,650	1,040	1,100	901

S62T/S62TG



WHITE / GALVANIZED

Size	12"	13"	14"	15x5"	15x6"	16" 6 Lug	16" 8 Lug	16-8HD
Max Load	1,100	1,468	1,870	1,870	2,600	3,500	3,750	3,750
Max PSI	90 PSI	50 PSI	100 PSI	100 PSI	130 PSI	145 PSI	145 PSI	145 PSI
2018 Load					3,200			4,400
2018 PSI					95 PSI			

S63/S64



SILVER / WHITE* AVAILABLE 5.20.2018

Size	13"	14"	15x5"	15x6"	16" 6 Lug	16" 8 Lug	16-8HD
Max Load	1,468	1,870	1,870	2,600	3,500	3,750	3,750
Max PSI	50 PSI	100 PSI	100 PSI	130 PSI	145 PSI	145 PSI	145 PSI
2018 Load				3,200			4,400
2018 Air				95 PSI			

S67

Size	17.5"
Max Load	6,005
Max PSI	125PSI



SILVER



WHITE

Size	22.5"	24.5"
Max Load	7,400	7,400
Max PSI	120 PSI	120 PSI

S69



DUAL DRILL

Size	17x7"	17x6.5"	16x6.5"	16x6"	15x6.5"	15x6"	14x6"	14x5.5"
Max Load	1,650	1,549	1,549	1,400	1,400	1,400	1,400	1,400